



NO.	Type	尺寸(Unit: mm)										磁心参数				Al-value (nH/N ²)±25%					功耗Max (W/set)					重量 (g/set)	
		A	B	C	C1	D	E	E1	E2	F	F1	C1	Le	Ae	Ve	KP4	KP44	KP44A	KP90	KP95	KP4	KP44	KP44A	KP90	KP95		
		(mm ⁻¹)	(mm)	(mm ²)	(mm ³)																						
ED15-1	EED1508	8	15.5±0.3	4.15±0.15	14.50±0.20		2.15±0.15	13.50±0.30	10.70±0.3		6.5±0.15	7.60±0.20	0.47	23.30	50.30	1179	4492	4492	4492	4117	6176	0.68	0.62	0.56	0.62	0.62	5.90
ED15-2	EED1521	10	15.50±0.30	10.65±0.15	22.00±0.30		8.15±0.15	12.80±0.30	10.50±0.30		4.50±0.20	14.00±0.20	0.66	47.00	70.40	3313	3167	3167	3167	3065	4069	2.16	1.97	1.79	1.97	1.97	18.80
ED15-3	EED1521B	10	15.7±0.30	10.9±0.15	20.8±0.30		8.25±0.15	13.2±0.3	10.8±0.3		4.9±0.15	13.1±0.20	0.72	49.00	68.30	3347	2980	2980	2980	2883	3840	2.12	1.93	1.75	1.93	1.93	18.40
ED17-1	EED1709	9	17.4±0.3	3.80±0.15	14.5±0.25		1.90±0.15	14.70±0.3	9.60±0.30		8.0±0.15	6.50±0.15	0.49	25.20	50.90	1281	3077	3077	3077	2943	4415	0.70	0.64	0.57	0.64	0.64	6.05
ED17-2	EED1709A	9	17.40±0.30	4.225±0.15	14.50±0.25		2.325±0.15	14.70±0.3	9.60±0.3		8.0±0.05/-0.2	6.5±0.05/-0.2	0.53	26.70	49.80	1281	3275	3275	3275	3187	4014	0.76	0.69	0.63	0.69	0.69	6.60
ED18-1	ED186.5	3	18.00±0.2	3.25±0.10	17.30±0.2		1.75±0.15	14.4±0.4			5.40±0.10	9.60±0.15	0.50	26.40	53.20	1404	4222	4222	4222	3870	5806	0.72	0.66	0.60	0.66	0.66	6.30
ED18-2	EED1807	7	18.40±0.3	3.50±0.15	12.10±0.2		2.0±0.15	15.40±0.3			7.70±0.15	5.32±0.15	0.65	23.60	36.50	861	3248	3248	3248	2977	4466	0.54	0.50	0.45	0.50	0.50	4.73
ED18-3	EED1807EU	7	17.80±0.3	3.70±0.15	12.10±0.2		1.70±0.15	14.90±0.3			7.70±0.15	5.32±0.15	0.64	25.90	40.60	1050	3299	3299	3299	3024	4536	0.60	0.55	0.49	0.55	0.55	5.20
ED18-4	EED1807EU	7	17.80±0.3	3.70±0.15	12.10±0.2		1.70±0.15	14.90±0.3			7.30±0.15	5.5±0.15	0.64	25.90	40.60	1050	3299	3299	3299	3024	4536	0.60	0.54	0.49	0.54	0.54	5.18
ED18-6	EED181018	7	18.6±0.3	5.0±0.15	18.1±0.3		2.6±0.15	14.6±0.4/-0.1			5.7±0.1/-0.15	10.95±0.1/-0.2	0.41	29.46	71.60	2109	5149	5149	5149	4720	7080	1.24	1.13	1.03	1.13	1.13	10.80
ED18-7	EED1809A	9	17.6±0.3	4.55±0.15	17.5±0.3		2.4±0.15	14.9±0.3	9.60±0.3		7.2±0.05/-0.3	9.45±0.05/-0.25	0.45	28.45	63.30	1801	4691	4691	4691	4300	6451	1.01	0.92	0.84	0.92	0.92	8.80
ED19-1	ED19	1	19.0±0.4	6.2±0.15	16.8±0.3		3.6±0.15	14.6±0.4			5.5±0.15		0.38	31.32	82.20	2573	5556	5556	5556	5093	7639	1.53	1.40	1.26	1.40	1.40	13.30
ED20-1	EED2010	13	20.0±0.3	5.0±0.15	18.1±0.3		2.6±0.2/-0.1	16.0±0.4/-0.1			7.0±0.1/-0.15	10.95±0.1/-0.2	0.39	29.98	76.70	2299	5413	5413	5413	4962	7443	1.30	1.19	1.07	1.19	1.19	11.30
ED23-1	EED2309	14	22.8±0.4	4.5±0.15	13.56±0.3		2.2±0.15	19.2±0.4	14.68±0.4	17.54±0.4	11.2±0.25	6.65±0.2	0.50	29.90	59.45	1778	4222	4222	4222	3870	5806	1.09	1.00	0.90	1.00	1.00	9.50
ED23-2	EED2309-2	14	22.8±0.3	4.55±0.15	13.56±0.3		2.25±0.15	19.3±0.4/-0.2	16.58±0.3	18.17±0.3	11.2±0.25	6.65±0.2	0.54	31.83	59.50	1894	3910	3910	3910	3584	5376	1.10	1.01	0.91	1.01	1.01	9.60
ED24-1	ECO24	5	24.20±0.40	12.20±0.20	10.00±0.30		9.70±0.20	20.20±0.30			7.80±0.20		1.13	56.20	49.70	2768	1867	1867	1867	1711	2567	1.77	1.62	1.46	1.62	1.62	15.40
EED25-1	EED2517	11	25.1±0.3	8.35±0.15	16.0±0.3		5.95±0.15	20.3±0.3			8.0±0.2	9.75±0.2	0.61	46.60	76.70	3575	2813	2813	2813	2740	3427	2.02	1.85	1.67	1.85	1.85	17.60
ED26-1	ED2613.8	2	25.70±0.3	6.90±0.15	30.10±0.35		4.40±0.15	20.70±0.3			5.15±0.2	29.10±0.35	0.28	41.20	148.00	6104	7584	7584	7584	6952	10428	3.55	3.24	2.94	3.24	3.24	30.90
ED28-2	ED2820A	1	28.00±0.3	10.20±0.15	11.90±0.15		6.65±0.15	20.50min			11.90±0.15		0.57	50.30	88.00	4527	3704	3704	3704	3395	5093	2.60	2.37	2.15	2.37	2.37	22.60
ED28-3	ED2814	2	28.40±0.5	9.70±0.15	30.00±0.35		6.70±0.15	22.00±0.5			9.10±0.15	22.30±0.3	0.26	47.40	180.00	8532	8120	8120	8120	7443	11165	5.52	5.04	4.56	5.04	5.04	48.00
ED28-4	ED2810	1	28.00±0.5	4.95±0.15	11.80±0.3		2.50±0.1	20.50min			11.80±0.3		0.47	31.80	67.00	2110	4492	4492	4492	4117	6176	1.33	1.22	1.10	1.22	1.22	11.60
ED29-1	ED2930	1	29.30±0.70/-0.30	14.60±0.20	11.60±0.30		11.00±0.20	22.10±0.60			8.4±0.20		0.79	69.20	88.00	6090	2685	2685	2685	2461	3691	3.43	3.13	2.83	3.13	3.13	29.80
ED29-2	ED2920	1	29.30±0.70/-0.30	10.20±0.20	11.60±0.30		6.60±0.20	22.10±0.60			8.4±0.20		0.72	60.40	84.00	5074	2936	2936	2936	2691	4037	2.65	2.42	2.19	2.42	2.42	23.00



NO.	Type	尺寸(Unit: mm)										磁心参数				Al-value (nH/N ²)±25%					功耗Max (W/set)					重量 (g/set)		
		A	B	C	C1	D	E	E1	E2	F	F1	C1	Le	Ae	Ve	KP4	KP44	KP44A	KP90	KP95	KP4	KP44	KP44A	KP90	KP95			
		(mm ⁻¹)	(mm)	(mm ²)	(mm ³)								(mm)	(mm ²)	(mm ³)													
ED29-3	ED2930A	1	29.30±0.40/-0.30	14.80±0.20	11.60±0.30		11.20±0.20	21.90±0.40/-0.30			8.4±0.20			0.83	69.20	83.00	5744	2532	2532	2532	2321	3482	3.45	3.15	2.85	3.15	3.15	30.00
ED29-4	ED2932	1	29.40±0.40	16.30±0.20	11.60±0.30		12.70±0.20	21.90±0.50/-0.30			8.4±0.20			0.84	70.00	83.00	5810	2503	2503	2503	2295	3442	3.57	3.26	2.95	3.26	3.26	31.00
ED29-5	ED2930B	1	29.30±0.30	14.60±0.20	11.60±0.20		11.00±0.2	21.60min			8.4±0.20			0.77	69.20	90.00	6228	2742	2742	2742	2513	3770	3.36	3.07	2.77	3.07	3.07	29.20
ED29.6-1	ED29.6/20/47	12	30.0±0.50	10.0±0.15	47.0±0.80	40.0±0.70	5.9±0.15	22.3±0.5/-0.2	16.94±0.50		11.0±0.30	39.0±0.50		0.13	49.84	383.50	19111	14751	14751	14751	14320	18462	11.19	10.22	9.24	10.22	10.22	97.30
ED30-1	EED30	4	30.00±0.60/-0.30	4.35±0.15	7.60±0.25		2.35±0.15	23±0.6/-0			10.00±0.25			0.78	29.37	37.44	1099	2691	2691	2691	2467	3700	0.83	0.76	0.68	0.76	0.76	7.20
ED31-1	ED3121	1	30.80±0.40	10.50±0.20	11.70±0.30		6.90±0.20	23.40±0.40			11.70±0.30			0.61	53.30	87.80	4680	3478	3478	3478	3188	4782	2.69	2.46	2.22	2.46	2.46	23.40
ED32-1	ED3218	4	32.00±0.50	9.00±0.20	15.00±0.30		6.00±0.20	25.5±0.50			9.00±0.30			0.47	50.30	108.00	5428	4533	4533	4533	4155	6233	3.02	2.76	2.50	2.76	2.76	26.30
EED33-1	EED3317	11	33.80±0.5	8.35±0.15	16.50±0.20		5.85±0.15	28.80±0.50			8.40±0.15			0.69	52.60	76.70	4038	3078	3078	3078	2822	4233	2.46	2.25	2.03	2.25	2.25	21.40
ED36-1	EED3614	4	36.2±0.5	7.2±0.15	14.0±0.35		4.30±0.15	30.2±0.5			6.0±0.20			0.66	50.40	76.40	3850	3199	3199	3199	2932	4398	2.37	2.16	1.96	2.16	2.16	20.60
EED36-1	EED3617	11	36.8±0.5	8.2±0.15	18.5±0.2		5.7±0.2	31.8±0.5			9.6±0.15	9.6±0.15		0.59	54.80	91.90	5034	3578	3578	3578	3280	4920	3.09	2.82	2.56	2.82	2.82	26.90
ED38-1	EED3819.3	4	38.00±0.6	9.65±0.15	14±0.32/-0.30		6.90±0.15	30.90min			7.00±0.2			0.79	61.70	78.10	4819	2672	2672	2672	2450	3674	2.83	2.58	2.34	2.58	2.58	24.60
ED38-2	EED3814	4	38.00±0.50	7.40±0.20	14.00±0.35		4.50±0.20	31.80min			6.00±0.20			0.72	53.40	74.30	3968	3040	3040	3040	2939	3943	2.35	2.14	1.94	2.14	2.14	20.40
ED38-3	EED3814-2	4	38.2±0.5	7.25±0.15	14.0±0.2/-0.3		4.35±0.15	32.2±0.7/-0.4			6.0±0.20			0.69	56.63	76.20	4010	2981	2981	2981	2881	3883	2.37	2.16	1.96	2.16	2.16	20.60
ED40-1	EED4020	6	40.80±0.5	9.90±0.2	21.85±0.35		6.45±0.25	30.80±0.5			11.00±0.3			0.32	57.00	177.00	10089	6556	6556	6556	6009	9014	6.41	5.85	5.29	5.85	5.85	55.70
ED40-2	EED4014	4	40.5±0.5	7.2±0.15	15.0±0.35		4.30±0.15	34.0±0.5			7.0±0.20			0.62	54.02	87.00	4700	3405	3405	3405	3121	4682	2.71	2.48	2.24	2.48	2.48	23.60
ED40-3	EED4026	1	40.8±0.5	13.0±0.2	26.85±0.4		8.0±0.2	30.8±0.5			11.0±0.3			0.25	67.90	269.90	18326	8445	8445	8445	7741	11611	10.81	9.87	8.93	9.87	9.87	94.00
ED41-1	EED4140	6	40.8±0.5	19.8±0.2	21.9±0.3		14.5±0.2	30.8±0.5			11.0±0.3			0.42	94.30	222.60	20993	5278	5379	5379	5193	7068	12.16	11.10	10.04	11.10	11.10	105.70
ED41-2	EED4015	11	41.5±0.5	7.32±0.15	18.5±0.3		4.82±0.15	36min			11.1±0.2	9.5±0.2		0.56	54.70	94.90	5185	3752	3752	3752	3629	4853	3.08	2.81	2.55	2.81	2.81	26.80
EED41-3	EED4116	3	41.0±0.5	8.1±0.15	23.0±0.4		5.6±0.15	36.0±0.5			11.5±0.3	11.5±0.3		0.51	59.90	118.10	7078	4359	4359	4359	4213	5675	4.15	3.79	3.43	3.79	3.79	36.10
ED42-1	EED4214	6	42.00±0.8	6.95±0.15	14.00±0.30		4.20±0.15	34.90min			7.00±0.2			0.71	54.90	77.80	4271	2992	2992	2992	2742	4114	2.50	2.28	2.06	2.28	2.28	21.70
ED42-2	EED4214-2	4	42.7±0.5	7.25±0.15	15.0±0.2/-0.3		4.35±0.15	36.2±0.5			7.0±0.20			0.65	56.40	87.20	4916	3248	3248	3248	2977	4466	2.82	2.57	2.33	2.57	2.57	24.50
ED43-1	EED4314	4	43.50±0.50	7.20±0.15	16.00±0.30		4.40±0.20	37.0±0.5			7.4±0.20			0.63	57.80	92.10	5323	3203	3203	3203	3105	4059	3.15	2.88	2.60	2.88	2.88	27.40
ED47-1	ED4716	6	47.00±0.5	7.90±0.15	17.00±0.25		4.90±0.15	40.70min			6.40±0.15			0.59	63.40	107.00	6787	3563	3563	3563	3266	4899	3.75	3.42	3.10	3.42	3.42	32.60



NO.	Type	Type	尺寸(Unit: mm)										磁心参数				Al-value (nH/N ²)±25%					功耗Max (W/set)			重量 (g/set)		
			A	B	C	C1	D	E	E1	E2	F	F1	C1	Le	Ae	Ve	KP4	KP44	KP44A	KP90	KP95	KP4	KP44	KP44A		KP90	KP95
			(mm ⁻¹)	(mm)	(mm ²)	(mm ³)																					
ED49-1	EED4917	11	49.9±0.50	8.05±0.15	19.5±0.3		6.05±0.15	44.8±0.5			8.6±0.20	12.8±0.20	0.85	72.10	84.90	6126	2580	2580	2580	2494	3350	3.47	3.17	2.87	3.17	3.17	30.20
EED53-1	FY13	6	52.70+0.60/-0.30	8.00±0.2	17.00±0.25		5.00±0.15	46.70min			6.40±0.2		0.70	70.50	101.00	7121	3016	3016	3016	2765	4147	4.06	3.71	3.35	3.71	3.71	35.30
EED58-1	EED5817	11	58.5±0.6	8.55±0.15	19.5±0.3		6.05±0.15	53.4±0.6			12.8±0.20	12.8±0.20	0.78	80.50	102.50	8253	2862	2862	2862	2765	3745	4.83	4.41	3.99	4.41	4.41	42.00
ED61-1	ED61	1	61.0±0.5	9.3±0.15	21.0±0.25		5.6±0.15	53.4±0.5			7.6±0.2		0.52	79.94	154.50	12352	4338	4338	4338	4190	5673	7.10	6.48	5.86	6.48	6.48	61.70