



NO.		尺寸(Unit : mm)						磁心参数				功耗Max (W/set)	重量 (g/set)	
		A	B	C	D	E	F	C1	Le	Ae	Ve			
								(mm <sup>-1</sup> )	(mm)	(mm <sup>2</sup> )	(mm <sup>3</sup> )	KF2		
UYF4	UYF1208	12.00±0.20	8.30±0.10	4.00±0.10	5.40±0.10	4.9+0.30/0.10	3.00±0.10							2.58
UYF5	UYF1210	12.50±0.20	10.10±0.10	5.00±0.10	7.20±0.10	4.60+0.30/0.10	2.80±0.10							4.68
UYF7		18.50±0.40	9.50±0.20	7.00±0.20	5.50±0.20	6.90min	4.00±0.10	1.05	44.50	42.40	1887	0.07	10.00	
UYF7-1		18.50±0.50	11.50±0.30	7.00±0.20	7.40±0.20	7.50±0.50	4.00±0.20	1.19	51.50	43.10	2220	0.08	11.00	
UYF9.6	UYF3525	35.00±0.50	24.5+0.30/0.20	9.60±0.30	16.9+0.30/0.20	17.30min	7.60±0.30	1.75	128.00	73.00	9344	0.30	45.00	
UYF11	UYF3534	35.50±0.50	34.00±0.30	11.00±0.30	25.00±0.30	15.20min	9.00±0.30	1.53	131.00	85.60	11214	0.40	74.40	
UYF11-1	UYF3230	31.50±0.40	29.50±0.30	11.00±0.30	19.50±0.30	12.60min	7.50±0.20	0.14	13.28	93.30	1239	≤110mw/g		
UYF11.5	UYF3229	31.90±0.50	29.30±0.30	11.70±0.30	20.30±0.30	12.30min	7.50±0.30	1.40	134.00	95.80	12837	0.34	64.50	
UYF11.5-2	UYF3533	35.50±0.50	33.00+0.4/-0.30	11.50±0.20	23.00+0.4/-0.30	13.90min	9.50±0.30	1.43	153.00	107.00	16371	0.42	76.90	
UYF11.5-3	UYF3530	35.50±0.50	30.60+0.30/-0.20	11.50±0.20	20.60+0.30/-0.20	13.90min	9.50±0.30	1.35	144.00	107.00	15408	0.40	74.30	
UYF11.5-4	UYF3731	37.00±0.50	31.00±0.30	11.50±0.30	21.00±0.30	15.00min	10.00±0.30	1.32	143.00	108.00	15444	0.52	79.00	
UYF12	UYF3634	36.50±0.50	33.50±0.30	11.80±0.30	23.50±0.20	13.10min	10.70±0.30	1.35	155.00	115.00	17825	0.45	88.50	
UYF13-1	UYF3835	37.80±0.60	35.10±0.30	13.00+0.30/-0.20	25.10±0.30	13.60min	10.70±0.20	1.15	150.00	131.00	19650	0.70	104.00	
UYF13-2	UYF3833	37.80±0.60	32.50±0.30	13.00±0.30	22.50±0.30	13.60min	10.70±0.20	0.98	130.00	133.00	17290	0.63	97.70	
UYF13-3	UYF3834	37.80+1.00/-0.50	33.60±0.30	13.00±0.30	23.00±0.30	13.60min	10.70±0.20	1.12	145.00	130.00	18850	0.67	103.00	
UYF13-4	UYF3532	35.40±0.60	32.30±0.20	13.00+0.50/-0.30	22.30±0.20	11.90min	10.00±0.20	1.20	140.00	116.70	16338	0.63	93.00	
UYF13-5	UYF3532B	35.40±0.60	32.10±0.20	13.00±0.20	22.10±0.20	11.90min	10.00±0.20	1.14	147.00	129.00	18963	0.58	91.00	
UYF13-6	UYF3832	37.80±0.60	32.10±0.20	13.00±0.20	21.10±0.20	13.60min	10.70±0.20	1.09	148.00	136.00	20128	0.60	98.70	



NO.		尺寸(Unit : mm)						磁心参数				功耗Max (W/set)	重量 (g/set)
		A	B	C	D	E	F	C1	Le	Ae	Ve		
								(mm <sup>-1</sup> )	(mm)	(mm <sup>2</sup> )	(mm <sup>3</sup> )	KF2	
UYF13-7	UYF3533	35.40±0.60	33.10±0.20	13.00±0.20	23.10±0.20	11.90min	10.00±0.20	1.17	151.00	129.00	19479	0.69	94.50
UYF13-8	UYF3835	38.00±0.50	35.00±0.30	13.00±0.30	24.50±0.30	14.00min	10.60±0.30	1.22	162.00	133.00	21546	0.76	106.00
UYF13-9	UYF3530A	35.40±0.60	30.60±0.20	13.00±0.20	20.60±0.20	11.90min	10.00±0.20	1.09	141.00	129.00	18189	0.63	86.00
UYF13-11	UYF3828	37.80±0.60	28.00±0.30	13.00±0.30	18.00±0.30	13.60min	10.70±0.30	1.02	134.00	131.00	17554	0.64	86.40
UYF13-12	UYF3833A	37.80±0.60	32.90±0.30	13.00±0.30	21.90±0.30	13.60min	10.70±0.30	1.12	152.00	136.00	20672	0.76	103.00
UYF13-13	UYF3833B		33.20±0.20	13.00±0.20	22.60±0.20	13.60min	10.70±0.20	1.15	154.00	134.00	20636	0.79	102.70
UYF13-14	UYF3533A	35.40±0.60	32.60±0.20	13.00±0.30	22.60±0.20	11.90min	10.00±0.20	1.16	149.00	129.00	19221	0.65	93.10
UYF13-15	UYF3533B		32.50±0.30		22.50±0.30	12.50min	10.00±0.30	1.16	149.00	128.00	19072	0.67	93.80
UYF13.5	UYF3932	39.50±0.50	32.50±0.30		21.00±0.30	14.50min	11.50±0.30	0.99	147.00	148.00	21756	0.77	110.00
UYF13.5-2	UYF3833C	38.75±0.75	33.00±0.30		22.00±0.30	14.25min	10.50±0.30	1.02	148.00	145.00	21460	0.72	100.60
UYF14	UYF3830	38.50±0.50	30.00±0.30	14.00±0.30	19.00±0.30	13.50min	10.50±0.30	0.95	140.00	147.00	20580	0.72	103.00
UYF14-1	UYF3833D	38.50±0.60	33.00±0.30	14.00±0.30	22.00±0.30	13.50min	10.50±0.30	0.99	146.00	147.00	21462	0.73	104.00
UYF14-2	UYF3836	38.50±0.50	36.00±0.20	14.00±0.30	25.00±0.20	13.50min	10.50±0.20	1.01	149.00	147.00	21903	0.83	122.20
UYF14.5	UYF4234	42.50±0.60	34.50±0.30	14.50±0.20	22.50±0.30	14.80min	12.00±0.20	0.95	158.00	167.00	26386	0.90	133.00
UYF15	UYF4236	42.20±0.60	36.70±0.30		24.70±0.30	15.00min	12.00±0.20	0.96	165.00	172.00	28380	1.00	144.00
UYF15-1	UYF4234A	42.20±0.50	34.50±0.30	15.00±0.20	22.50±0.30	14.70min	12.00±0.20	0.91	156.00	172.00	26832	1.00	137.00
UYF15-2	UYF4238	42.20±0.50	37.50±0.30		25.50±0.30	14.70min	12.00±0.20	0.92	159.00	173.00	27507	0.90	144.70
UYF15-3	UYF4235	42.50±0.60	35.00±0.30		23.00±0.30	14.90min	12.00±0.30	0.92	163.00	177.00	28851	0.86	138.25



NO.		尺寸(Unit : mm)						磁心参数				功耗Max (W/set)	重量 (g/set)
		A	B	C	D	E	F	C1	Le	Ae	Ve		
								(mm <sup>-1</sup> )	(mm)	(mm <sup>2</sup> )	(mm <sup>3</sup> )	KF2	
UYF15-4	UYF4234B	42.20±0.50	33.80±0.20	15.00±0.20	21.80±0.30	14.70min	12.00±0.20	0.89	158.00	177.00	27966	0.84	135.40
UYF16	UYF4336	43.20±0.50		16.00±0.30		14.40min	12.00±0.20	0.88	170.00	193.00	32810	0.98	161.10
UYF16-1	UYF4336A	43.10±0.60	36.60±0.20	16.00±0.20	24.60±0.20	14.30min	12.10±0.20	0.88	169.00	193.00	32617	0.98	161.10
UYF17	UYF4637	45.90±0.60	37.50±0.20	16.50±0.30	24.50±0.20	15.20min	13.30±0.20	0.80	168.00	210.00	35280	1.20	181.00
UYF17-1	UYF4639	46.30±0.70	39.00±0.30		26.00±0.30	15.20min	13.30±0.30	0.81	174.00	216.00	37584	1.30	190.00
UYF17-2	UYF4639A	46.30±0.50	39.50±0.30		26.50±0.30	15.50min	13.30±0.30	0.82	182.00	223.00	40586	1.30	190.00
UYF18	UYF4739	47.50±0.50	39.00±0.30	17.50±0.20	25.00±0.30	16.10min	14.00±0.20	0.76	179.00	237.00	42423	1.47	210.00